


2025/07/28




4.1 Temperature range: -40°C TO $+105^{\circ}\text{C}$



SIGNAL[®] RF

5	Crimping ferrule	COPPER ALLOY	TIN/NICKEL	4			MINI FAKRA FEMALE(R-MF) FOR RG174、RTK031 CONNECTOR (Quad)					
4	Outer contact	COPPER ALLOY	TIN/NICKEL	4			APPROVED:	CUSTOMER P/N:	DRAWING NO.		TOLERANCES ARE: DECIMALES ANGLES	
3	Dielectric	PBT/PTFE	WHITE	4			CHECKED:	REV. : A0	ORDER NO. 805030-00-016~017		.x ±0.5 .x° ±5.0° .xx ±0.3 .x° ±3.0°	
2	Center contact	COPPER ALLOY	GOLD/TIN	4			CHECKED:	SCALE: 3:1			THIRD ANGLE PROJECTION 	
1	Housing	PBT	SEE SHEET 2	1							SIZE: A4	
ITEM	PART NAME	MATERIAL	PLATING/COLOR	Q'TY			DRAWING:	DATE: 2025-07-28				



RG174/Dacar462 CABLE:

Z	Waterblue	sim. 5021	805030-00-016-Z			TITLE: MINI FAKRA FEMALE(R-MF) FOR RG174 CONNECTOR (Quad)			
G	Grey	sim. 7036	805030-00-016-G						
F	Brown	sim. 8011	805030-00-016-F	APPROVED:	CUSTOMER P/N:	DRAWING NO.		TOLERANCES ARE: DECIMALES ANGLES .x ±0.5 x.° ±5.0° .xx ±0.3 .x° ±3.0°	
E	Green	sim. 6017	805030-00-016-E	CHECKED:	REV. : A0				
D	Claret violet	sim. 4004	805030-00-016-D	CHECKED:	SCALE: 4:1	ORDER NO. SEE TABLE			
C	Blue	sim. 5012	805030-00-016-C	CHECKED:	DATE: 2025-08-09				
B	White	sim. 9010	805030-00-016-B	DRAWING:	DATE: 2025-08-09	THIRD ANGLE PROJECTION 		UNITS: mm	SIZE: A4
A	Black	sim. 9005	805030-00-016-A					SHEET: 2 OF 3	
CODING	COLOR	RAL	ORDER NO.						

DATE _____

2025/08/09



— SIZE: A4